Wall Mounted ECO Range (Comfort for Large Room)

ASYG24KLCA



Features

- Narrow width & Compact Design
- ON-OFF Programmable timer
- Powerful operation
- Economy operation
- Low ambient operation

Capacity

C **7.1 kW** H **8.0 kW**

Find a Distributor

Indoor Unit :
ASYG24KLCA

Outdoor Unit :
AOYG24KLCA

Download :
Catalogue


Specification

Power source	**Phase**		Single-phase
	Voltage		230 V
	Frequency		50 Hz
Capacity	**Cooling**		7.1 (0.9 - 7.7) kW
	Heating		8.0 (0.9 - 9.0) kW
Input Power	**Cooling**		2.420 kW
	Heating		2.225 kW
EER	**Cooling**		2.93 W/W
COP	**Heating**		3.60 W/W
Pdesign	**Cooling**		7.1 kW
	Heating (-10°C)		7.1 kW
SEER	**Cooling**		7.10 W/W
SCOP	**Heating (Average)**		4.00 W/W
Energy Efficiency Class	**Cooling**		A++
	Heating (Average)		A+
Max. Operating Current	**Cooling**		13.5 A
	Heating		17.5 A
Annual Energy Consumption	**Cooling**		350 kWh/a
	Heating		2485 kWh/a
Moisture Removal			3.1 l/h
Sound Pressure Level	**Indoor (Cooling)**	**High**	51 dB(A)
		Middle	45 dB(A)
		Low	38 dB(A)
		Quiet	33 dB(A)
	Indoor (Heating)	**High**	52 dB(A)
		Middle	45 dB(A)
		Low	41 dB(A)
		Quiet	37 dB(A)
Sound Pressure Level	**Outdoor (Cooling)**	**High**	55 dB(A)
	Outdoor (Heating)	**High**	57 dB(A)

Sound Power Level	Indoor (Cooling)	High	64 dB(A)
	Indoor (Heating)	High	65 dB(A)
	Outdoor (Cooling)	High	65 dB(A)
	Outdoor (Heating)	High	67 dB(A)
Air Flow Rate	Indoor (Cooling)	High	1040 m³/h
	Outdoor (Cooling)	High	2885 m³/h
Net Dimensions Indoor	Height		293 mm
	Width		790 mm
	Depth		249 mm
Net Dimensions Outdoor	Height		632 mm
	Width		799 mm
	Depth		290 mm
Net Weight	Indoor		10.0 kg
	Outdoor		38.0 kg
Connection Pipe Diameter	Liquid		φ6.35 mm
	Gas		φ12.7 mm
Drain Hose Diameter			φ13.8(I.D.), φ15.8 to φ16.7(O.D.) mm
Max Pipe Length (Pre Charge)			30 (15.0) m
Max Height Difference			25 m
Operation Range	Cooling		-10 to 46 °CDB
	Heating		-15 to 24 °CDB
Refrigerant	Type		R32
	Global Warming Potential		675
	Charge		1100 g (0.743 CO2eq-T)

Dimensions

Indoor Unit : ASYG24KLCA



Service & Support
FAQ
Download
Distributor
Contact

AIR CONDITIONERS
Split Systems
Multi Split Systems
AIRSTAGE™ VRF
VENTILATION
WATERSTAGE™ ATW

SERVICE & SUPPORT
Downloads
FAQ

FIND A DISTRIBUTOR

MEMBERS

INFORMATION FROM FUJITSU GENERAL

COMPANY
President's message
Corporate Profile
Business Overview
Patents and Technology
Quality Control
Environment
Procurement
News: Press Release

COMPANY IN EUROPE & CIS
Fujitsu General (Euro) GmbH
Fujitsu General (U.K.) Co., Limited
Fujitsu General Air Conditioning (UK) Limited

Select a region/country | Europe & CIS | English

Terms of Use | Privacy | Cookie Policy | Sitemap | Contact

© 1996- 2020 FUJITSU GENERAL