Job Quotation

Trade Windows (Derby) Ltd
810 London Road
Alvaston
Derby
Tel No: 01332 755551
Fax No:

Customer Details
Mr & Mrs Gaunt
41 Field Lane
Belper
Derbyshire

DE56 1DD
[redacted]

Ref: Gaunt 41 Field Lane Belprr

System	Eurocell Logik
Group	Int White Window Classic
Outer Frame	60mm Outer Frame White
Transom/Mullion	Tran/Mull White 70/85/115
Cill	150mm Cill White
Reinforcement	Std PVC
Drainage	Concealed
Night Vent	White 2000 SFW Trickle Vent
Frame Extender	25mm Frame Ext White
Bead	28mm Flat Bead White
Gasket	Pre Gasketed System
Glass Type	4/20/4 A Rated OBS Contour Warm Edge Spacer



1 - 465w x 745h (Basic Frame Size)
1 - 465w x 800h, 30mm Cill
Viewed Outside

Window No: 1 of 10
Location: Cubby Hole

Cill:
150mm Cill White (565mm)

Total (Exc. VAT): [redacted]
Total (Inc. VAT):

Summary

P/Code	Description	Qty	Len1

System	Eurocell Logik
Group	Int Sash Horn White Classic
Outer Frame	60mm Outer Frame White
Casement Sash	Horned 75mm Int T-Sash White
Transom/Mullion	Tran/Mull White 70/85/115
Cill	150mm Cill White
Reinforcement	Full PVC
Main Handles	White Virage
Main Hinges	DGS Elite Stay Hinges
Main Lock	DGS Elite Twin Cam Espag
Drainage	Concealed
Bead	28mm Flat Bead White
Gasket	Pre Gasketed System
Glass Type	4/20/4 A Rated TGH Warm Edge Spacer



1 - 631w x 1460h (Basic Frame Size)
1 - 631w x 1490h, 30mm Cill
Viewed Outside

Window No: 2 of 10
Location: Lounge:1

Cill:
150mm Cill White (0mm)

Total (Exc. VAT): [redacted]
Total (Inc. VAT):

Summary

P/Code	Description	Qty	Len1

System	Eurocell Logik
Group	Int Sash Horn White Classic
Outer Frame	60mm Outer Frame White
Casement Sash	Horned 75mm Int T-Sash White
Transom/Mullion	Tran/Mull White 70/85/115
Cill	150mm Cill White
Reinforcement	Full PVC
Main Handles	White Virage
Main Hinges	DGS Elite Stay Hinges
Main Lock	DGS Elite Twin Cam Espag
Drainage	Concealed
Bead	28mm Flat Bead White
Gasket	Pre Gasketed System
Glass Type	4/20/4 A Rated 18mm Geo.Single-WHT Warm Edge Spacer
Glass Type	4/20/4 A Rated TGH 18mm Geo.Single-WHT Warm Edge Spacer



1 - 1440w x 1460h (Basic Frame Size)
1 - 1440w x 1490h, 30mm Cill
Viewed Outside

Window No: 3 of 10
Location: Lounge:2

Cill:
150mm Cill White (0mm)

Total (Exc. VAT): [redacted]
Total (Inc. VAT):

Summary

P/Code	Description	Qty	Len1

System	Eurocell Logik
Group	Int Sash Horn White Classic
Outer Frame	60mm Outer Frame White
Casement Sash	Horned 75mm Int T-Sash White
Transom/Mullion	Tran/Mull White 70/85/115
Cill	150mm Cill White
Reinforcement	Full PVC
Main Handles	White Virage
Main Hinges	DGS Elite Stay Hinges
Main Lock	DGS Elite Twin Cam Espag
Drainage	Concealed
Bead	28mm Flat Bead White
Gasket	Pre Gasketed System
Glass Type	4/20/4 A Rated Warm Edge Spacer
Glass Type	4/20/4 A Rated TGH Warm Edge Spacer



1 - 631w x 1460h (Basic Frame Size)
1 - 631w x 1490h, 30mm Cill
Viewed Outside

Window No: 4 of 10
Location: Lounge:3

Cill:
150mm Cill White (0mm)

Total (Exc. VAT): [redacted]
Total (Inc. VAT):

Summary

P/Code	Description	Qty	Len1

System	Eurocell Logik
Group	Int White Window Classic
Outer Frame	60mm Outer Frame White
Casement Sash	75mm Int T-Sash White
Transom/Mullion	Tran/Mull White 70/85/115
Cill	150mm Cill White
Reinforcement	Std PVC
Main Handles	White Virage
Main Hinges	DGS Elite Stay Hinges
Main Lock	DGS Elite Twin Cam Espag
Drainage	Concealed
Bead	28mm Flat Bead White
Gasket	Pre Gasketed System
Glass Type	4/20/4 A Rated Warm Edge Spacer



1 - 530w x 1000h (Basic Frame Size)
1 - 530w x 1030h, 30mm Cill
Viewed Outside

Window No: 5 of 10
Location: Landing

Cill:
150mm Cill White (630mm)

Total (Exc. VAT): [redacted]
Total (Inc. VAT):

Summary

P/Code	Description	Qty	Len1

System	Eurocell Logik
Group	Int White Window Elegance
Outer Frame	60mm Outer Frame White Ovolo
Casement Sash	75mm Int T-Sash White Ovolo
Transom/Mullion	Tran/Mull White 70/85/115 Ovol
Cill	150mm Cill White
Reinforcement	Std PVC
Main Handles	White Virage
Main Lock	DGS Elite Twin Cam Espag
Drainage	Concealed
Bead	28mm Co Ex Ovolo Bead White
Gasket	Pre Gasketed System
Glass Type	4/20/4 A Rated 18mm Geo.Single-WHT Warm Edge Spacer
Glass Type	4/20/4 A Rated TGH 18mm Geo.Single-WHT Warm Edge Spacer



1 - 1790w x 1440h (Basic Frame Size)
1 - 1790w x 1470h, 30mm Cill
Viewed Outside

Window No: 6 of 10
Location: Front Bedroom 1

Cill:
150mm Cill White (1890mm)

Total (Exc. VAT): [redacted]
Total (Inc. VAT):

Summary

P/Code	Description	Qty	Len1

System	Eurocell Logik
Group	Int White Window Elegance
Outer Frame	60mm Outer Frame White Ovolo
Casement Sash	75mm Int T-Sash White Ovolo
Transom/Mullion	Tran/Mull White 70/85/115 Ovol
Cill	150mm Cill White
Reinforcement	Std PVC
Main Handles	White Virage
Main Lock	DGS Elite Twin Cam Espag
Drainage	Concealed
Bead	28mm Co Ex Ovolo Bead White
Gasket	Pre Gasketed System
Glass Type	4/20/4 A Rated 18mm Geo.Single-WHT Warm Edge Spacer
Glass Type	4/20/4 A Rated TGH 18mm Geo.Single-WHT Warm Edge Spacer



1 - 950w x 1450h (Basic Frame Size)
1 - 950w x 1480h, 30mm Cill
Viewed Outside

Window No: 7 of 10
Location: Front Bedroom 2

Cill:
150mm Cill White (1050mm)

Total (Exc. VAT): [redacted]
Total (Inc. VAT):

Summary

P/Code	Description	Qty	Len1

System	Eurocell Logik
Group	Int White Window Classic
Outer Frame	60mm Outer Frame White
Casement Sash	75mm Int T-Sash White
Transom/Mullion	Tran/Mull White 70/85/115
Cill	150mm Cill White
Reinforcement	Std PVC
Main Handles	White Virage
Main Lock	DGS Elite Twin Cam Espag
Drainage	Concealed
Bead	28mm Flat Bead White
Gasket	Pre Gasketed System
Glass Type	4/20/4 A Rated OBS Contour Warm Edge Spacer



1 - 865w x 1100h (Basic Frame Size)
1 - 865w x 1130h, 30mm Cill
Viewed Outside

Window No: 8 of 10
Location: Bathroom

Cill:
150mm Cill White (965mm)

Total (Exc. VAT): [redacted]
Total (Inc. VAT):

Summary

P/Code	Description	Qty	Len1

System	Eurocell Logik
Group	Int White Window Classic
Outer Frame	60mm Outer Frame White
Casement Sash	75mm Int T-Sash White
Transom/Mullion	Tran/Mull White 70/85/115
Cill	150mm Cill White
Reinforcement	Std PVC
Main Handles	White Virage
Main Hinges	Elite Egress Easy Clean Stay
Main Lock	DGS Elite Twin Cam Espag
Drainage	Concealed
Bead	28mm Flat Bead White
Gasket	Pre Gasketed System
Glass Type	4/20/4 A Rated OBS Warm Edge Spacer



1 - 450w x 780h (Basic Frame Size)
1 - 450w x 810h, 30mm Cill
Viewed Outside

Window No: 9 of 10
Location: Bathroom

Cill:
150mm Cill White (550mm)

Total (Exc. VAT): [redacted]
Total (Inc. VAT):

Summary

P/Code	Description	Qty	Len1

System	Eurocell Logik
Group	FD Open In Grey On White Classic
Outer Frame	75mm Outer Frame GY/W
Door Sash	105mm Door Z-Sash Grey/W
Cill	150mm Cill Grey7016 On White
Low Threshold	Ali Threshold
Reinforcement	Std Reinforement
Door Handles	Chrome Mila Prosecure Handle
Door Hinges	Evolution White Hinge
Door Lock	Fullex French D/Lock
Drainage	Concealed
Bead	28mm Flat Bead White
Gasket	Pre Gasketed System
Glass Type	28mm Flat Panel 9mm MDF (850 x 1005) Anthracite Grey or White (Eurocell)
Glass Type	4/20/4T C Satin Tuff Warm Edge Spacer



1 - 1230w x 2320h (Basic Frame Size)
1 - 1230w x 2350h, 30mm Cill
Viewed Outside

Window No: 10 of 10
Location: Front Door

Cill:
150mm Cill Grey7016 On White (1330mm)
Low Threshold Gasket (1120mm)
Low Threshold Gasket Carrier (1120mm)

Total (Exc. VAT): [redacted]
Total (Inc. VAT):

Summary

P/Code	Description	Qty	Len1

Additional items for Lounge (Bay/Bow/Conservatory):

P/Code	Description	Qty	Len1	Len2	Cut/Fit?
AC150W	150mm Cill White	1	819w	881w	[. . .]
AC150W	150mm Cill White	1	1455w	1579w	[. . .]
AC150W	150mm Cill White	1	819w	881w	[. . .]
UNS5821P	PVC Cill Reinforcing	1	1455w		[. . .]
EWS107W	T Capping White	2	1460h		[. . .]
EWS113W	Bay Capping White	2	1460h		[. . .]
EWS517A	135 Ali Bay Post	2	1460h		[. . .]
WELD	Cill Weld	2			[. . .]

Job Price

Description
Additional items Lounge (Bay/Bow/Conservatory):

Job Total (Excl. VAT): [redacted]
Job Total (Inc. VAT):