

Mike Ashworth Drawings
4000mm x 4000mm Garden Room

Cabinmaster

March 5, 2021







Western Red Cedar:


Our Western Red Cedar provides vibrant & dramatic tones. Being virtually knot free, the timber has a modern aesthetic. All of the timber we use in our buildings is sourced from FSC or PEFC certified suppliers.

EPDM Rubber Roof:

The Firestone RubberCover™ EPDM membrane is a 100% cured single-ply roofing membrane made of a synthetic rubber Ethylene-Propylene-Diene Terpolymer.







Wall Construction:

Structural stud walls with a Cedar clad.
Walls are a total of 140mm which includes:

- an inner MDF routed finishing board
- 45mm of Kingspan insulation
- a breathable membrane
- 25mm x 50mm battens
- an outer clad of Cedar
- 4 x 2 CLS & 600 Centres
- 2 x 1 Lat for air gap
- 9mm MDF Board

Roof Construction:

Internally, the ceiling is flat with the slope created with fillets on the outside. Construction method is:

- Firestone rubber roof system
- 18mm OSB code 3 boarding
- 100mm Loft roll
- 12mm MDF ceiling


Floor Construction:

Insulated floors with a choice of click-lock flooring colours. The floor construction includes:


- 6 x 2 C16 & 500 Centres on joist hangers
- 2400 x 600 x 22 floor boards
- 25mm Kingspan insulation

Construction Methods	Cabinmaster 4000mm x 4000mm Garden Room	A 02

Front View




Left View




Front & Left View	Cabinmaster 4000mm x 4000mm Garden Room	Scale 1mm:50mm When printed at A4	03 A


Rear View



Right View



Rear & Right View	Cabinmaster 4000mm x 4000mm Garden Room	Scale 1mm:50mm When printed at A4	04 A



Top View	Cabinmaster 4000mm x 4000mm Garden Room	Scale 1mm:50mm When printed at A4

A 05