rame Fast UK Ltd
rame Fast House
scot Drive,
)erby, DE24 8ST
el No: 01332 344459
ax No: 01332 347544

ustomer Details
B Construction
nnexe
eton Farm
Goodwins Lane
lelper
)E56 4AF
el:
ax:

Quote No: Q205109
Ref: Varney

)ate Printed: 09 November 2020 16:05

...uotation

Stone Grey / White

[redacted]

ystem Eurocell Modus
roup White Flush Modus
)uter Frame 55mm Outer
asement Sash Flush / Reversable Int Sash
ransom/Mullion Tran/Mull
einforcement Std Welded Steel Reinforcing
lain Handles Inline Handle Chrome
lain Hinges Std Friction Hinges
lain Lock DGS Espag
)rainage Concealed
inish1 White
lead 28mm Bead White
lead 28mm Bead
lass Type 4/20/4 A Rated Warm Edge Spacer



Window No: 11 of 8
.ocation: F Bed
inish: White
Extras:

ill:

Special Instructions:
Modus Flush *Sprayed Fully 7030 Stone Grey*

1 - 1030w x 1130h (Basic Frame Size)
1 - 1030w x 1130h
Viewed Outside

ystem Eurocell Modus
roup White Flush Modus
)uter Frame 55mm Outer
asement Sash Flush / Reversable Int Sash
ransom/Mullion Tran/Mull
einforcement Std Welded Steel Reinforcing
lain Handles Inline Handle Chrome
lain Hinges Std Friction Hinges
lain Lock DGS Espag
rainage Concealed
inish1 White
ead 28mm Bead White
ead 28mm Bead
lass Type 4/20/4 A Rated Warm Edge Spacer



Window No: 12 of 8
ocation: Side Bed
nish: White
Extras:

ill:

1 - 1210w x 1210h (Basic Frame Size)
1 - 1210w x 1210h
Viewed Outside

tal (Exc. VAT):
tal (Inc. VAT):
ecial Instructions:
dus Flush

Group	White Flush Modus
Outer Frame	55mm Outer
Casement Sash	Flush / Reversable Int Sash
Transom/Mullion	Tran/Mull
Reinforcement	Std Welded Steel Reinforcing
Main Handles	Inline Handle Chrome
Main Hinges	Std Friction Hinges
Main Lock	DGS Espag
Drainage	Concealed
Finish1	White
Bead	28mm Bead White
Bead	28mm Bead
Glass Type	4/20/4 A Rated Warm Edge Spacer




1 - 506w x 926h (Basic Frame Size)
1 - 506w x 926h
Viewed Outside

Window No: 13 of 8
Location: Landing
Finish: White
Extras:

Cill:

System	Eurocell Modus
Group	White Flush Modus
Outer Frame	55mm Outer
Casement Sash	Flush / Reversable Int Sash
Dummy Sash	Flush / Reversable Int Sash
Transom/Mullion	Tran/Mull
Reinforcement	Std Welded Steel Reinforcing
Main Handles	Inline Handle Chrome
Main Hinges	Std Friction Hinges
Main Lock	DGS Espag
Drainage	Concealed
Finish1	White
Bead	28mm Bead White
Bead	28mm Bead
Glass Type	4/20/4 A Rated Warm Edge Spacer



1 - 1476w x 1212h (Basic Frame Size)
1 - 1476w x 1212h
Viewed Outside

Window No: 14 of 8
Location: F Bed
Finish: White
Extras:

Cill:

Special Instructions:
Modus Flush

System	Eurocell Modus
Group	White Flush Modus
Outer Frame	55mm Outer
Casement Sash	Flush / Reversable Int Sash
Transom/Mullion	Tran/Mull
Reinforcement	Std Welded Steel Reinforcing
Main Handles	Inline Handle Chrome
Main Hinges	Std Friction Hinges
Main Lock	DGS Espag
Drainage	Concealed
Finish1	White
Bead	28mm Bead White
Bead	28mm Bead
Glass Type	4/20/4 A Rated Warm Edge Spacer




1 - 1050w x 926h (Basic Frame Size)
1 - 1050w x 926h
Viewed Outside

Window No: 15 of 8
Location: D Room
Finish: White
Extras:

Cill:

Special Instructions:
Modus Flush

Group	White Flush Modus
Outer Frame	55mm Outer
Casement Sash	Flush / Reversable Int Sash
Transom/Mullion	Tran/Mull
Reinforcement	Std Welded Steel Reinforcing
Main Handles	Inline Handle Chrome
Main Hinges	Std Friction Hinges
Main Lock	DGS Espag
Drainage	Concealed
Finish1	White
Bead	28mm Bead White
Bead	28mm Bead
Glass Type	4/20/4 A Rated Warm Edge Spacer




Window No: 16 of 8
Location: D Room 2
Finish: White
Extras:

Sill:

Special Instructions:
Modus Flush

System	Eurocell Modus
Group	White Flush Modus
Outer Frame	55mm Outer
Casement Sash	Flush / Reversable Int Sash
Dummy Sash	Flush / Reversable Int Sash
Transom/Mullion	Tran/Mull
Reinforcement	Std Welded Steel Reinforcing
Main Handles	Inline Handle Chrome
Main Hinges	Std Friction Hinges
Main Lock	DGS Espag
Drainage	Concealed
Finish1	White
Bead	28mm Bead White
Bead	28mm Bead
Glass Type	4/20/4 A Rated Warm Edge Spacer




Window No: 17 of 8
Location: F Loungs
Finish: White
Extras:

Sill:

Special Instructions:
Modus Flush

System	Eurocell Modus
Group	White Flush Modus
Outer Frame	55mm Outer
Casement Sash	Flush / Reversable Int Sash
Dummy Sash	Flush / Reversable Int Sash
Transom/Mullion	Tran/Mull
Reinforcement	Std Welded Steel Reinforcing
Main Handles	Inline Handle Chrome
Main Hinges	Std Friction Hinges
Main Lock	DGS Espag
Drainage	Concealed
Finish1	White
Bead	28mm Bead White
Bead	28mm Bead
Glass Type	4/20/4 A Rated Warm Edge Spacer



Window No: 18 of 8
Location: S/Lounge
Finish: White
Extras:

Sill:

Special Instructions:
Modus Flush

[redacted]