Simon Gladwin
Executive Director (Operations)
Development Management

Town Hall
Ripley
Derbyshire DE5 3BT
Tel: 01773 570222
Fax: 01773 841523
Email: enquiry@ambervalley.gov.uk
Web: www.ambervalley.gov.uk

Mr Neil Dosanjh
2 Somme Road
Allestree
Derby
Derbyshire
DE22 2NP

Miss Georgie Rathbone
JSA Architects
Sadler Bridge Studios
Bold Lane
Derby
DE1 3NT

TOWN AND COUNTRY PLANNING ACT 1990

In pursuance of the powers vested in the Amber Valley Borough Council under the above Act and Orders and taking into account Government policy and the saved policies of the Adopted Amber Valley Borough Local Plan 2006, and with reference to your application (**Office Code: AVA/2020/1044**) which was valid on the 5 November 2020 for permission for **Application for outline planning for 2no. dwellings (including access and scale) at 2 Somme Road Allestree Derby**

In the manner described in the application and shown on the accompanying plan(s) and drawing(s) **NOTICE IS HEREBY GIVEN** that permission for the proposed development is **GRANTED subject to the following conditions:**

Conditions/Reasons

1. Application for approval of reserved matters shall be made to the Local Planning Authority before the expiration of three years from the date of this permission and the development hereby permitted shall be begun before the expiration of two years from the date of approval of the last of the reserved matters to be approved.

   Reason: To prevent the accumulation of planning permissions: to enable the Council to review the suitability of the development in the light of altered circumstances and to comply with the provisions of Section 92(2) of the Town and Country Planning Act 1990 as amended by Section 51 of the Planning and Compulsory Purchase Act 2004.

2. The approval of the Borough Council shall be obtained prior to the commencement of any development in respect of the layout, appearance and landscaping of the buildings.

   Reason: To comply with Section 92 of the Town and Country Planning Act 1990.

Date : 19 August 2022

Signed

S Gladwin

Simon Gladwin
Executive Director (Operations)

3. The development shall be undertaken in accordance with the following:

   Location plan A22-004 001 A - received on 14/03/2022

   Position of the access from Somme Road only on drawing reference A20-012 Rev A (proposed site plan). No other details on this plan are approved

   Flood Risk Assessment - Proposed Residential Development, 2 Somme Road, Allestree, Derby February 2022 27057-01-FRA-01 Rev A, produced by MEC - received on 09/03/2022

   Reason: To define the terms of the permission.

4. The access from Somme Road shall be fully laid out in accordance with the application drawing reference A20-012 Rev A prior to first occupation of the dwellings.

   Reason: In the interests of highway safety in accordance with saved policies TP1 and H12 of the Adopted Amber Valley Brough Local Plan 2006.

5. The development shall be undertaken in accordance with the finished floor levels and flood resistance measures set out in the flood risk assessment MEC (February 2022) Flood Risk Assessment, 27057-01-FRA-01 REV A.

   Reason: To ensure that the development is adequately protected against flood risk in accordance with saved policy EN15 of the Adopted Amber Valley Borough Local Plan.

6. Notwithstanding the requirements of condition 5, as part of any reserved matters application a scheme indicating, existing and proposed ground levels and the relationship of such to the existing dwellings adjacent to the site shall be submitted.

   Reason: To safeguard the privacy and amenities of the occupiers of adjoining properties in accordance with Saved Policies LS3 and H12 of the Adopted Amber Valley Borough Local Plan.

7. Prior to the import of soils or other fill materials from outside the application site, documentary evidence that the material is free from contamination shall be submitted to and agreed in writing by the Local Planning Authority. No such materials shall be imported without prior approval.

   Reason: In the interests of safeguarding the proposed development and adjacent properties from the possible harmful effects of development affecting contaminated

Date : 19 August 2022

Signed S Gladwin

Simon Gladwin
Executive Director (Operations)

land in accordance with paragraphs 183 and 184 of the NPPF and saved policy EN18 of the Adopted Amber Valley Borough Local Plan 2006.

8. The development to which this approval relates shall be:

   dwelling positioned to the front of the site - no more than 1.5 storeys in height,
   dwelling positioned to the rear of the site - no more than 2 storeys in height

   Reason: To define the permission and in order to safeguard the privacy and amenities of the occupiers of adjoining properties in accordance with Saved policies LS3 and H12 of the Adopted Amber Valley Borough Local Plan 2006.

9. No construction or demolition works, movement of construction traffic, or deliveries to and from the premises, shall occur other than between 0800 and 1800 hours weekdays, and 0800 and 1300 hours on Saturdays, and at no time on Sundays or Public Holidays.

   Reason: To safeguard the privacy and amenities of the occupiers of adjoining properties in accordance with policy EN16 of the Adopted Amber Valley Borough Local Plan 2006.

10. As part of any reserved matters application an Arboricultural Report in the format of BS5837:2012 'Trees in relation to design, demolition and construction - Recommendations' shall be submitted to the Local Planning Authority for approval. This should include an up to date Arboricultural Impact Assessment, tree protection plans and appropriate method statements (as per section 5 & 6 of BS5837:2012).

    Reason: To ensure that the existing trees are incorporated into the proposed development and to prevent unnecessary damage to existing trees in accordance with policy EN8 of the Adopted Amber Valley Borough Local Plan 2006.

Notes

Attention is drawn to the attached notes:

1 The Environment Agency advise that from a flood risk perspective, the development falls within their flood risk standing advice (FRSA) which can be found on the Flood risk assessment: standing advice pages of the .gov.uk website

Date : 19 August 2022

Signed



Simon Gladwin
Executive Director (Operations)

2 A. The County Council does not adopt any SuDS schemes at present (although may consider ones which are served by highway drainage only). As such, it should be confirmed prior to commencement of works who will be responsible for SuDS maintenance/management once the development is completed.

B. Any works in or nearby an ordinary watercourse may require consent under the Land Drainage Act (1991) from the County Council. For further advice, or to make an application please contact Flood.Team@derbyshire.gov.uk.

C. No part of the proposed development shall be constructed within 3-8m of an ordinary watercourse and a minimum 3 m for a culverted watercourse (increases with size of culvert). It should be noted that DCC have an anti-culverting policy.

D. The applicant should be mindful to obtain all the relevant information pertaining to proposed discharge in land that is not within their control, which is fundamental to allow the drainage of the proposed development site.

E. The applicant should demonstrate, to the satisfaction of the Local Planning Authority, the appropriate level of treatment stages from the resultant surface water discharge, in line with Table 4.3 of the CIRIA SuDS Manual C753.

F. The County Council would prefer the applicant to utilise existing landform to manage surface water in mini/sub-catchments. The applicant is advised to contact the County Council's Flood Risk Management team should any guidance on the drainage strategy for the proposed development be required.

G. The applicant should provide a flood evacuation plan which outlines:

The flood warning procedure
A safe point of extraction
How users can safely evacuate the site upon receipt of a flood warning
The areas of responsibility for those participating in the plan
The procedures for implementing the plan
How users will be made aware of flood risk
How users will be made aware of flood resilience
Who will be responsible for the update of the flood evacuation plan

H. Flood resilience should be duly considered in the design of the new building/s or renovation. Guidance may be found in BRE Digest 532 Parts 1 and 2, 2012 and BRE Good Building Guide 84.

Date : 19 August 2022

Signed

Simon Gladwin
Executive Director (Operations)

I. Surface water drainage plans should include the following:
Rainwater
pipes, gullies and drainage channels including cover levels.
Inspection chambers, manholes and silt traps including cover and invert levels.
Pipe sizes, pipe materials, gradients and flow directions and pipe numbers.
Soakaways, including size and material.
Typical inspection chamber / soakaway / silt trap and SW attenuation details.
Site ground levels and finished floor levels.

J. On Site Surface Water Management;

The site is required to accommodate rainfall volumes up to 1 in 100 year return period (plus climate change) whilst ensuring no flooding to buildings or adjacent land.

The applicant will need to provide details and calculations including any below ground storage, overflow paths (flood routes), surface detention and infiltration areas, etc, to demonstrate how the 100 year + 30% Climate Change rainfall volumes will be controlled and accommodated, also incorporating a sensitivity test to 40% Climate change. In addition an appropriate allowance should be made for urban creep throughout the lifetime of the development (to be agreed with the LLFA).

Production of a plan showing above ground flood pathways (where relevant) for events in excess of 1 in 100 year rainfall, to ensure exceedance routes can be safely managed.

A plan detailing the impermeable area attributed to each drainage asset (pipes, swales, etc).

Peak Flow Control
For greenfield developments, the peak run-off rate from the development to any highway drain, sewer or surface water body for the 1 in 1 year rainfall event and the 1 in 100 year rainfall event, should never exceed the peak greenfield run-off rate for the same event.

For developments which were previously developed, the peak run-off rate from the development to any drain, sewer or surface water body for the 1 in 1 year rainfall event and the 1 in 100 year rainfall event must be as close as reasonably practicable to the greenfield run-off rate from the development for the same rainfall event, but should never exceed the rate of discharge from the development, prior to redevelopment for that event.

Date : 19 August 2022

Signed

S Gladwin

Simon Gladwin
Executive Director (Operations)

Volume Control
For greenfield developments, the runoff volume from the development to any highway drain, sewer or surface water body in the 1 in 100 year, 6 hour rainfall event must not exceed the greenfield runoff volume for the same event

For developments which have been previously developed, the runoff volume from the development to any highway drain, sewer or surface water body in the 1 in 100 year, 6 hour rainfall event must be constrained to a value as close as is reasonably practicable to the greenfield runoff volume for the same event, but must not exceed the runoff volume for the development site prior to redevelopment for that event.

Note:- If the greenfield run-off for a site is calculated at less than 2 l/s, then a minimum of 2 l/s could be used (subject to approval from the LLFA).

Details of how the on-site surface water drainage systems shall be maintained and managed after completion and for the lifetime of the development to ensure the features remain functional.

Where cellular storage is proposed and is within areas where it may be susceptible to damage by excavation by other utility contractors, warning signage should be provided to inform of its presence. Cellular storage and infiltration systems should not be positioned within the highway.

Guidance on flood pathways can be found in BS EN 752.

The Greenfield runoff rate which is to be used for assessing the requirements for limiting discharge flow rates and attenuation storage for a site should be calculated for the whole development area (paved and pervious surfaces - houses, gardens, roads, and other open space) that is within the area served by the drainage network whatever size of the site and type of drainage system. Significant green areas such as recreation parks, general public open space etc., which are not served by the drainage system and do not play a part in the runoff management for the site, and which can be assumed to have a runoff response which is similar to that prior to the development taking place, may be excluded from the greenfield analysis.

K. If infiltration systems are to be used for surface water disposal, the following information must be provided:
Ground percolation tests to BRE 365.
Ground water levels records. Minimum 1m clearance from maximum seasonal groundwater level to base of infiltration compound. This should include assessment of relevant groundwater borehole records, maps and on-site monitoring in wells.

Date : 19 August 2022

Signed

Simon Gladwin
Executive Director (Operations)

Soil / rock descriptions in accordance with BS EN ISO 14688-1:2002 or BS EN ISO 14689-1:2003.
Volume design calculations to 1 in 100 year rainfall + 30% climate change standard. An appropriate factor of safety should be applied to the design in accordance with CIRIA C753 - Table 25.2.
Location plans indicating position (soakaways serving more than one property must be located in an accessible position for maintenance). Soakaways should not be used within 5m of buildings or the highway or any other structure.
Drawing details including sizes and material.
Details of a sedimentation chamber (silt trap) upstream of the inlet should be included.
Soakaway detailed design guidance is given in CIRIA Report 753, CIRIA Report 156 and BRE Digest 365.
L. All Micro Drainage calculations and results must be submitted in .MDX format, to the LPA. (Other methods of drainage calculations are acceptable.)

M. The applicant should submit a comprehensive management plan detailing how surface water shall be managed on site during the construction phase of the development ensuring there is no increase in flood risk off site or to occupied buildings within the development.

3 The applicant is reminded that Somme Road will remain private and not adopted by Derbyshire County Council.

4 The applicant is advised that issues relating to the ownership of Somme Road, any payments towards the upkeep of the road, any private rights of way etc are private legal matters to be addressed with the relevant parties.

Date : 19 August 2022

Signed

Simon Gladwin
Executive Director (Operations)

Reasons for Permission

In granting permission for this development, the Borough Council has taken into account all material planning considerations arising from the views of statutory and other consultees and public representations about the application, Government guidance as detailed in the National Planning Policy Framework and relevant Neighbourhood Plans, and saved policies of the Adopted Amber Valley Borough Local Plan 2006 and the Quarndon Neighbourhood Plan

QH2 – Development proposals at Somme Road
QDBC1 - Design and built character
QEN2 – Heritage Assets
QSS2 – Setting of Kedleston Hall

LS1 - Sustainability criteria
LS3 - Design
H7 - Development at Somme Road/Memorial Road
H12 - Design and amenity considerations
TP1 - Impact on the Transport Network
TP6 - Parking
EN8 - Landscape Features
EN15 - Development and Flood Risk
EN18 - Derelict, Unstable And Contaminated Land
EN33 - Kedleston Hall landscape character

In detail:

The development complies with the provisions of the development plan for the locality and raises no unresolved issues in relation to the location of the site, privacy, amenity, sunlight/daylight, character and design, landscape or heritage features and highway safety.

The National Planning Policy Framework (NPPF) is a material consideration in planning decisions. In accordance with Paragraph 38 of the NPPF the local planning authority has approached the decision making process in a positive way to foster the delivery of sustainable development and has worked proactively with the applicant/agent to secure a development to improve the economic, social and environmental conditions of the area.

Date : 19 August 2022

Signed

S Gladwin

Simon Gladwin
Executive Director (Operations)

NOTES

1. **If the applicant is aggrieved by the decision of the Local Planning Authority to refuse planning permission or approval for the proposed development or to grant permission or approval subject to conditions, he may appeal to the Secretary of State for the Environment in accordance with Section 78/79 of the Town and Country Planning Act 1990, within six months of the date of this notice. The Secretary of State has power to allow a longer period for the giving of a notice but will not normally be prepared to exercise this power unless there are special circumstances which excuse the delay in giving notice of appeal. The Secretary of State is not required to entertain an appeal if it appears to him that permission of the proposed development could not have been granted by the Local Planning Authority or could not have been so granted otherwise that subject to the conditions imposed on them, having regard to the statutory requirements, to the provision of the development order, and to any directions given under the order.**
2. **Cadent Gas own and operate the gas infrastructure within the area of your development. Contact Cadent's Plant Protection Team for approval before carrying out any works on site and ensuring requirements are adhered to. Email plantprotection@cadentgas.com. Alternatively you can register on www.beforeyoudig.nationalgrid.com**
3. **If permission to develop land is refused or granted subject to conditions, whether by the Local Planning Authority or by the Secretary of State for the Environment, and the owner of the land claims that the land has become incapable of reasonably beneficial use in its existing state and cannot be rendered capable of reasonably beneficial use by the carrying out of any development which has been or would be permitted, he may serve on the Council of the County/District in which the land is situated, a purchase notice requiring that council to purchase his interests in the land in accordance with the provisions of Section 180 of the Town and Country Planning Act 1990.**
4. **In certain circumstances a claim may be made against the Local Planning Authority for compensation where permission is refused or granted subject to conditions by the Secretary of State on appeal or on a reference of the application to him. The circumstances in which such compensation is payable are set out in Sections 137 and 138 of the Town and Country Planning Act 1990.**
5. **This permission relates to planning controls only. Any other statutory consent necessary including submission under the building regulations must be obtained from the appropriate Authority.**
6. **If it is intended to give notice of appeal in accordance with Paragraph 1 above, this should be done on the appropriate form obtainable from:-**

   The Planning Inspectorate
   3/23 Hawk Wing, Temple Quay House, 2 The Square Temple Quay
   Bristol BS1 6PN
   (Tel. No. 0117 372 8000) www.planning-inspectorate.gov.uk

7. **If the condition of consent or reasons for refusal, make reference to a Division of the Department, the appellant may, if he so wishes, require the attendance of a representative from the Department by notification to the Local Planning Authority. Such a representative would not be liable to cross-examination on questions of departmental policy, but only on matters of fact and expert opinion in relation to the appeal site.**
8. **Where a vehicle is habitually drive across a grass verge or kerbed footway to and from premises adjoining a highway, the occupier of the premises may after being given due notice by the appropriate authority, be required to pay the cost of construction of a carriage crossing or the strengthening of a footway, as the authority considers it necessary, or may be required to comply with conditions imposed by the authority.**
9. **In the case of building or premises to which the public are to be admitted whether on payment or otherwise, attention is drawn to Sections 4 and 7 of the Chronically Sick and Disabled Persons Act 1970 and the associated Code of Practice (BS5810:1979). In the case of premises to which the Offices, Shops and Railway Premises Act 1963 or the Factories Act 1962 applies, attention is drawn to Sections 7 and 8A of the Chronically Sick and Disabled Persons Act and to the same code of practice. In the case of Educational Buildings, attention is drawn to Sections 7 and 8 of the Chronically Sick and Disabled Persons Act 1978 and to the Design Note 18 "Access for the Physically Disabled Educational Buildings".**
10. **If the development site is crossed by an electric line or is within 15 metres (50ft) of the nearest part of a line (measure horizontally along the ground) or if there is reason to believe that it may be crossed by an underground electric cable, the applicant should contact the Electricity Board to ascertain if and what special safety precautions are necessary.**
11. **The grant of planning permission does not entitle developers to obstruct a public right of way. Development on so far as it affects a right of way, should not be started, and the right of way should be kept open for public use, until the necessary order under Section 247 and 257 of the Town and Country Planning Act 1990 for the diversion of extinguishment of the right of way has been made and confirmed.**