


N

Station Information:

Station	Easting (m)	Northing (m)	Level (m)
GPS1	438529.668	348425.976	121.053
GPS2	438528.111	348448.816	122.556

OS Note:

The Ordnance Survey tile is to be used as a guide only.

OS Buildings *Surveyed Buildings*

This survey has been orientated to the Ordnance Survey (O.S) National Grid OSGB36(15) via Global Navigational Satellite Systems (GNSS) and the O.S. Active Network (OS Net).

A true OSGB36 coordinate has been established near to the site centre via a transformation using the OSTN15GB & OSGM15GB transformation models.

The survey has been correlated to this point and a further one or more OSGB36(15) points established to create a true O.S. bearing for angle orientation.

No scale factor has been applied to the survey therefore the coordinates shown are arbitrary & not true O.S. Coordinates which have a scale factor applied.

Please refer to Survey Station Table to enable establishment of the on-site grid.

Building Survey Legend:

SHt 1.00 HHt 2.12	Sill Height from FFL. Head Height from FFL.
SL 51.03m HL 52.82m	Sill Level from defined datum. Head Level from defined datum.
Susp CHt: 2.00 Struct CHt: 3.00	Suspended Ceiling Height from FFL. Structural Ceiling Height from FFL.
Susp Ceil: 30.00m Struct Ceil: 31.00m	Suspended Ceiling Level from datum. Structural Ceiling Level from datum.
IFL: 100.00m +100.00m	Internal Floor Level (General). Internal Floor Level (Specific).
Insertion Point	Insertion Point for overlay drawings of other floors or details.

Incoming Services

Elec Gas Water

Topographical Survey Legend:

Buildings, Wall, Kerb line, Line marking, Drop kerb, Centre line, Overhead Cable, Concrete edge, Tarmac edge, Grass verge, Canopy/Overhang, Verge, Station and Name, Station Level, Tree / Bush / Sapling, Area of Undergrowth, Woodland, Ridge Level, Eaves Level, Flat Roof Level, Gate, Fence types: Hedge, Interwoven, Iron Railings, Wire Mesh, Post & Rail, Post & Wire, Chain Link, Wooden Panels, Concrete Panels, Steel Palisade

Inspection chamber, Pipe invert, Gully, Back gully, Down pipe, Pipe above ground, Manhole, Water level, Flood light, Lamp post, Telegraph post, Electricity post, Traffic light, Bus stop, Stop valve, Stop tap, Earth rod, Water meter, Gas valve, Air valve, Unidentified inspection, Wash out, Rodding eye, Bollard/e beacon, Cable tv, Marker post, Gas marker post, Soffit

Bollard, Illuminated bollard, Rubbish bin, Vent pipe, Ground light, Letter box, Ladder, Stile, Internal floor level, Threshold level, Sign post, Trisphere, Borehole, Electric, British Telecom, Control box, Tactile, Brick paved, Concrete paving slab, Cover, Inspection chamber, Retaining wall, Unable to lift, Tree canopy level, Girth, Multi girth, Tree Stump, Cover level, Invert level

Rev	Date	Description	Drawn	Q. Ref.

greenhatch group

- Topographical Surveys
- Site Engineering
- Utility / CCTV Surveys
- Bathymetric Surveys
- Measured Building Surveys
- 3D Laser Scanning
- 3D Revit & BIM Models
- Area, Lease & Fire Plans

Rowan House
Duffield Road
Little Eaton
Derby
DE21 5DR
Tel (01332) 830044 Fax (01332) 830055
admin@greenhatch-group.co.uk
www.greenhatch-group.co.uk

St Albans: Unit B,The Courtyard, Alban Park, St Albans, Hertfordshire, AL4 0LA, t. (01727) 854481
Newcastle: 24 Riverside Studios, Amethyst Road, Newcastle Bus. Park, Newcastle-U-Tyne, NE4 7YL, t. (01912) 736391
Central London: 27 Cornwall Terrace Mews, Regents Park, London, NW1 5LL, t. (0207) 2241806

CLIENT
S.G
Architectural Design.

PROJECT
34 Street Lane
Ripley DE58NE

TITLE
Existing
Site Plan

SCALE	DATE
A1@ 1: 100	13/03/2023
DRAWN: CM	QUALITY REF: GH16340

Level datum	GPS (See notes above)
Grid orientation	GPS (See notes above)
Job number	46413

Drawing No. 46413_01_P — Rev. 0

Comments

This plan should only be used for its original purpose. Greenhatch Group accepts no responsibility for this plan if supplied to any party other than the original client.


All dimensions should be checked on site prior to design and construction.

Some services may have been omitted due to parked vehicles.


Drainage information (where applicable) has been visually inspected from the surface and therefore should be treated as approximate only.

Notes:

Copyright Greenhatch Group 08/01/18




Second Floor Plan.



First Floor Plan.

Roof Plan



Ground Floor Plan.

OS Note:

The Ordnance Survey tile is to be used as a guide only.

OS Buildings *Surveyed Buildings*

This survey has been orientated to the Ordnance Survey (O.S) National Grid OSGB36(15) via Global Navigational Satellite Systems (GNSS) and the O.S. Active Network (OS Net).

A true OSGB36 coordinate has been established near to the site centre via a transformation using the OSTN15GB & OSGM15GB transformation models.

The survey has been correlated to this point and a further one or more OSGB36(15) points established to create a true O.S. bearing for angle orientation.

No scale factor has been applied to the survey therefore the coordinates shown are arbitrary & not true O.S. Coordinates which have a scale factor applied.

Please refer to Survey Station Table to enable establishment of the on-site grid.

Building Survey Legend:

SHt 1.00 HHt 2.12	Sill Height from FFL. Head Height from FFL.
SL 51.03m HL 52.82m	Sill Level from defined datum. Head Level from defined datum.
Susp CHt: 2.00 Struct CHt: 3.00	Suspended Ceiling Height from FFL. Structural Ceiling Height from FFL.
Susp Ceil: 30.00m Struct Ceil: 31.00m	Suspended Ceiling Level from datum. Structural Ceiling Level from datum.
IFL: 100.00m +100.00m	Internal Floor Level (General). Internal Floor Level (Specific).
Insertion Point	Insertion Point for overlay drawings of other floors or details.

Incoming Services

Elec Gas Water

Topographical Survey Legend:

Buildings, Wall, Kerb line, Line marking, Drop kerb, Centre line, Overhead Cable, Concrete edge, Tarmac edge, Grass verge, Canopy/Overhang, Verge, Station and Name, Station Level, Tree / Bush / Sapling, Area of Undergrowth, Woodland, Ridge Level, Eaves Level, Flat Roof Level, Gate

Fence types: IW Interwoven, IR Iron Railings, WM Wire Mesh, PR Post & Rail, PW Post & Wire, CL Chain Link, WP Wooden Panels, CP Concrete Panels, SP Steel Palisade

IC	Inspection chamber	BollB	Bollard
PInv	Pipe invert	IB	Illuminated bollard
Gy	Gully	Bin	Rubbish bin
Bg	Back gully	Vp	Vent pipe
Dp	Down pipe	Gl	Ground light
Pipe	Pipe above ground	Lbox	Letter box
MH	Manhole	Ldr	Ladder
WL	Water level	Sty	Stile
Fl	Flood light	IFL	Internal floor level
Lp	Lamp post	THL	Threshold level
Tp	Telegraph post	Sp	Sign post
Ep	Electricity post	TH	Trishole
Tl	Traffic light	BH	Borehole
Box	Box Wall	ELC	Electric
Sv	Stop valve	BT	British Telecom
St	Stop tap	CTbox	Control box
Er	Earth rod	TT	Tactile
Wm	Water meter	BP	Brick paved
Gas	Gas valve	CPS	Concrete paving slab
Av	Air valve	CVR	Cover
ICU	Unidentified inspection	IC	Inspection chamber
Wo	Wash out	Rwall	Retaining wall
Re	Rodding eye	UTL	Unable to lift
BB	Bellaire beacon	TCL	Tree canopy level
CTV	Cable tv	G	Girth
Mkr	Marker post	MG	Multi girth
Gmkr	Gas marker post	Stmp	Tree Stump
So	Soffit	CL	Cover level
		IL	Invert level

Rev.	Date	Description	Drawn	Q. Ref.

greenhatch group

- Topographical Surveys
- Site Engineering
- Utility / CCTV Surveys
- Bathymetric Surveys
- Measured Building Surveys
- 3D Laser Scanning
- 3D Revit & BIM Models
- Area, Lease & Fire Plans

Rowan House
Duffield Road
Little Eaton
Derby
DE21 5DR
Tel (01332) 830044 Fax (01332) 830055
admin@greenhatch-group.co.uk
www.greenhatch-group.co.uk

St Albans: Unit B,The Courtyard, Alban Park, St Albans, Hertfordshire, AL4 0LA, t. (01727) 854481

Newcastle: 24 Riverside Studios, Amethyst Road, Newcastle Bus. Park, Newcastle-U-Tyne, NE4 7YL, t. (01912) 736391

Central London: 27 Cornwall Terrace Mews, Regents Park, London, NW1 5LL, t. (0207) 2241806

CLIENT

S.G Architectural Design.

PROJECT

34 Street Lane, Ripley DE58NE

TITLE

Existing Floor Plans

SCALE	DATE
A1@ 1: 100	13/03/2023
DRAWN	QUALITY REF
CM	GH16340

Level datum	GPS (See notes above)
Grid orientation	GPS (See notes above)
Job number	46413
Drawing No.	Rev.
46413_02_P	0

Comments

This plan should only be used for its original purpose. Greenhatch Group accepts no responsibility for this plan if supplied to any party other than the original client.


All dimensions should be checked on site prior to design and construction.

Some services may have been omitted due to parked vehicles.

Drainage information (where applicable) has been visually inspected from the surface and therefore should be treated as approximate only.

Notes:


© Copyright Greenhatch Group. 08/01/18




Datum: 120.00m.
Elevation 1




Datum: 120.00m.
Elevation 2




Datum: 120.00m.
Elevation 3.




Datum: 120.00m.
Elevation 4.



Datum: 120.00m.
Elevation 5.



Datum: 120.00m.
Section A-A.



Datum: 120.00m.
Section B-B.

OS Note:

The Ordnance Survey tile is to be used as a guide only.

OS Buildings *Surveyed Buildings*

This survey has been orientated to the Ordnance Survey (O.S) National Grid OSGB36(15) via Global Navigational Satellite Systems (GNSS) and the O.S. Active Network (OS Net).

A true OSGB36 coordinate has been established near to the site centre via a transformation using the OSTN15GB & OSGM15GB transformation models.

The survey has been correlated to this point and a further one or more OSGB36(15) points established to create a true O.S. bearing for angle orientation.

No scale factor has been applied to the survey therefore the coordinates shown are arbitrary & not true O.S. Coordinates which have a scale factor applied.

Please refer to Survey Station Table to enable establishment of the on-site grid.

Building Survey Legend:

SHt 1.00 HHt 2.12	Sill Height from FFL. Head Height from FFL.
SL 51.03m HL 52.82m	Sill Level from defined datum. Head Level from defined datum.
Susp CHt: 2.00 Struct CHt: 3.00	Suspended Ceiling Height from FFL. Structural Ceiling Height from FFL.
Susp Ceil: 30.00m Struct Ceil: 31.00m	Suspended Ceiling Level from datum. Structural Ceiling Level from datum.
IFL: 100.00m +100.00m	Internal Floor Level (General). Internal Floor Level (Specific).
Insertion Point	Insertion Point for overlay drawings of other floors or details.

Incoming Services

Elec Gas Water

Topographical Survey Legend:

Buildings; Wall; Kerb line; Line marking; Drop kerb; Centre line; Overhead Cable; Concrete edge; Tarmac edge; Glass verge; Canopy/Overhang; Verge; Station and Name; Station Level; Tree / Bush / Sapling; Area of Undergrowth; Woodland; Ridge Level; Eaves Level; Flat Roof Level; Gate

Fence types: FW Interwoven; IW Iron Railings; WM Wire Mesh; PR Post & Rail; PW Post & Wire; CL Chain Link; WP Wooden Panels; CP Concrete Panels; SP Steel Palisade

IC	Inspection chamber	Bollard	Bollard
Pinv	Pipe invert	IB	Illuminated bollard
Gy	Gully	Bin	Rubbish bin
Bg	Back gully	Vp	Vent pipe
Dp	Down pipe	Gf	Ground light
Pipe	Pipe above ground	Lbox	Letter box
MH	Manhole	Ldr	Ladder
WL	Water level	Sty	Stile
Fl	Flood light	IFL	Internal floor level
Lp	Lamp post	THL	Threshold level
Tp	Telegraph post	Sp	Sign post
Ep	Electricity post	TH	Trishole
Tl	Traffic light	BH	Borehole
Box	Box Wall	ELC	Electric
Sv	Stop valve	BT	British Telecom
St	Stop tap	CTbox	Control box
Er	Earth rod	TT	Tactile
Wm	Water meter	BP	Brick paved
Gas	Gas valve	CPS	Concrete paving slab
Av	Air valve	CVR	Cover
ICU	Unidentified inspection	IC	Inspection chamber
Wo	Wash out	Rwall	Retaining wall
Re	Rodding eye	UTL	Unable to lift
BB	Bellaire beacon	TCL	Tree canopy level
CTV	Cable tv	G	Girth
Mkr	Marker post	MQ	Multi girth
Grdst	Gas marker post	Stmp	Tree Stump
So	Soffit	CL	Cover level
		IL	Invert level

Rev	Date	Description	Drawn	Q. Ref.

greenhatch group

- Topographical Surveys
- Site Engineering
- Utility / CCTV Surveys
- Bathymetric Surveys
- Measured Building Surveys
- 3D Laser Scanning
- 3D Revit & BIM Models
- Area, Lease & Fire Plans

Rowan House
Duffield Road
Little Eaton
Derby
DE21 5DR
Tel (01332) 830044 Fax (01332) 830055
admin@greenhatch-group.co.uk
www.greenhatch-group.co.uk

St Albans: Unit B,The Courtyard, Alban Park, St Albans, Hertfordshire, AL4 0LA, t. (01727) 854481
Newcastle: 24 Riverside Studios, Amethyst Road, Newcastle Bus. Park, Newcastle-U-Tyne, NE4 7YL, t. (01912) 736391
Central London: 27 Cornwall Terrace Mews, Regents Park, London, NW1 5LL, t. (0207) 2241806

CLIENT
S.G
Architectural Design.

PROJECT
34 Street Lane,
Ripley DE58NE

TITLE
Existing
Elevations

SCALE	DATE
A1@ 1: 100	13/03/2023
DRAWN	QUALITY REF
CM	GH16340

Level datum	GPS (See notes above)
Grid orientation	GPS (See notes above)
Job number	46413

Drawing No.	Rev.
46413_03_ES	0

Comments
This plan should only be used for its original purpose. Greenhatch Group accepts no responsibility for this plan if supplied to any party other than the original client.

All dimensions should be checked on site prior to design and construction.

Some services may have been omitted due to parked vehicles.

Drainage information (where applicable) has been visually inspected from the surface and therefore should be treated as approximate only.

Notes:

© Copyright Greenhatch Group. 08/01/18